

[2010]

- Murata M., Otsuka M., Mizuno H., Shiratori M., Miyazaki S., Nagae H., Kanazawa S., Hamaoki M., Kuroki Y. & Takahashi H. Development of an enzyme-linked immunosorbent assay for measurement of rat pulmonary surfactant protein D using monoclonal antibodies. *Exp. Lung Res.* **36**: 463-468. [PubMed](#)
- Matsushima N., Miyashita H., Mikami T. & Kuroki Y. A nested leucine rich repeat (LRR) domain: the precursor of LRRs is a ten or eleven residue motif. *BMC Microbiol.* **10**: 235. [PubMed](#)
- Hoshino S., Konishi M., Mori M., Shimura M., Nishitani C., Kuroki Y., Koyanagi Y., Kano S., Itabe H. & Ishizaka Y. HIV-1 Vpr induces TLR4/MyD88-mediated IL-6 production and reactivates viral production from latency. *J. Leukoc. Biol.* **87**: 1133-1143. [PubMed](#)
- Sawada K., Arikawa S., Kojima T., Saito A., Yamazoe M., Nishitani C., Shimizu T., Takahashi M., Mitsuzawa H., Yokota S., Sawada N., Fujii N., Takahashi H. & Kuroki Y. Pulmonary collectins protect macrophages against pore-forming activity of *Legionella pneumophila* and suppress its intracellular growth. *J. Biol. Chem.* **285**: 8434-8443. [PubMed](#)
- Tu Z., Pierce R. H., Kurtis J., Kuroki Y., Crispe I. N. & Orloff M. S. Hepatitis C virus core protein subverts the anti-viral activities of human kupffer cells. *Gastroenterology* **138**: 305-314. [PubMed](#)

[2009]

- Shimizu T., Nishitani C., Mitsuzawa H., Arikawa S., Takahashi M., Ohtani K., Wakamiya N. & Kuroki Y. Mannose binding lectin and lung collectins interact with Toll-like receptor 4 and MD-2 by different mechanisms. *Biochim. Biophys. Acta.* **1790**: 1705-1710. [PubMed](#)
- Kuronuma K., Mitsuzawa H., Takeda K., Nishitani C., Chan E. D., Kuroki Y., Nakamura M. & Voelker D. R. Anionic pulmonary surfactant phospholipids inhibit inflammatory responses from alveolar macrophages and U937 cells by binding the lipopolysaccharide interacting proteins CD14 and MD2. *J. Biol. Chem.* **284**: 25488-25500. [PubMed](#)
- Matsushima N., Mikami T., Tanaka T., Miyashita H., Yamada K. & Kuroki Y. Analyses of non-leucine rich repeat (Non-LRR) regions intervening between LRRs in proteins. *Biochim. Biophys. Acta.* **1790**: 1217-1237. [PubMed](#)
- Nishitani C., Takahashi M., Mitsuzawa H., Shimizu T., Arikawa S., Matsushima N. & Kuroki Y. Mutational analysis of Cys<sup>88</sup> of Toll-like receptor 4 highlights the critical role of MD-2 in cell surface receptor expression. *Int. Immunol.* **21**: 925-934. [PubMed](#)
- Takahashi M., Kuroki Y., Ohtsubo K. & Taniguchi N. Core fucose and bisecting GlcNAc, the direct modifiers of the N-glycan core: their functions and target proteins. *Carbohydr. Res.* **344**: 1387-1390. [PubMed](#)
- Osumi D., Takahashi M., Miyoshi E., Yokoe S., Lee S.H., Noda K., Nakamori S., Gu J., Ikeda Y., Kuroki Y., Sengoku K., Ishikawa M. & Taniguchi N. Core fucosylation of E-cadherin enhances cell-cell adhesion in human colon carcinoma WiDr cells. *Cancer Sci.* **100**: 885-895. [PubMed](#)

[2008]

- Yamazoe M., Nishitani C., Takahashi M., Arikawa S., Shimizu T., Mitsuzawa H., Sawada K., Voelker D. R., Katoh T., Takahashi H. & Kuroki Y. Pulmonary surfactant protein D inhibits lipopolysaccharide (LPS)-induced inflammatory cell responses by altering LPS binding to its receptors. *J. Biol. Chem.* **283**: 35878-35888.
- Nie X., Nishitani C., Yamazoe M., Arikawa S., Takahashi M., Shimizu T., Mitsuzawa H., Sawada K., Smith K., Crouch E., Nagae H., Takahashi H. & Kuroki Y. Pulmonary surfactant protein D binds MD-2 through the carbohydrate recognition domain. *Biochemistry* **47**: 12878-12885.
- Kiyokawa T., Akashi-Takamura S., Shibata T., Matsumoto F., Nishitani C., Kuroki Y., Seto Y. & Miyake K. A single base mutation in the PRAT4A gene reveals differential interaction of PRAT4A with Toll-like receptors. *Int. Immunol.* **20**: 1407-1415.

[2007]

- Sano H., Ishino M., Kramer H., Shimizu T., Mitsuzawa H., Nishitani C. & Kuroki Y. The microtubule-binding protein Hook3 interacts with a cytoplasmic domain of scavenger receptor A. *J. Biol. Chem.* **282**: 7973-7981.
- Takeyama K., Mitsuzawa H., Nishitani C., Shimizu T., Sano H., Kunishima Y., Takahashi S., Hotta H., Matsukawa M., Shibata K., Tsukamoto T. & Kuroki Y. The 6-fluoro-8-methoxy quinolone gatifloxacin down-regulates interleukin-8 production in prostate cell line PC-3. *Antimicrobial Agents and Chemotherapy* **51**: 162-168.
- Kuroki Y., Takahashi M. & Nishitani C. Pulmonary collectins in innate immunity of the lung. *Cell Microbiol.* **9**: 1871-1879.

[2006]

- Nishitani C., Mitsuzawa H., Sano H., Shimizu T., Matsushima N. & Kuroki Y. Toll-like receptor 4 region Glu<sup>24</sup>-Lys<sup>47</sup> is a site for MD-2 binding. *J. Biol. Chem.* **281**: 38322-38329.
- Uemura T., Sano H., Katoh T., Nishitani C., Mitsuzawa H., Shimizu T. & Kuroki Y. Surfactant protein A without the interruption of Gly-X-Y repeats loses a kink of oligomeric structure and exhibits impaired phospholipid liposome aggregation ability. *Biochemistry* **45**: 14543-14551.
- Mitsuzawa H., Nishitani C., Hyakushima N., Shimizu T., Sano H., Matsushima N., Fukase K. & Kuroki Y. Recombinant soluble forms of extracellular TLR4 domain and MD-2 inhibit lipopolysaccharide binding on cell surface and dampen lipopolysaccharide-induced pulmonary inflammation in mice. *J. Immunol.* **177**: 8133-8139.
- Ono K., Nishitani C., Mitsuzawa H., Shimizu T., Sano H., Suzuki H., Kodama T., Fujii N., Fukase K., Hirata K. & Kuroki Y. Mannose-binding lectin augments the uptake of lipid A, Staphylococcus aureus, and Escherichia coli by Kupffer cells through increased cell surface expression of scavenger receptor A. *J. Immunol.* **177**: 5517-5523.
- Yamada C., Sano H., Shimizu T., Mitsuzawa H., Nishitani C., Himi T. & Kuroki Y. Surfactant protein A directly interacts with TLR4 and MD-2 and regulates inflammatory cellular response. *J. Biol. Chem.* **281**: 21771-21780.
- Ohya M., Nishitani C., Sano H., Yamada C., Mitsuzawa H., Shimizu T., Saito T., Smith K., Crouch E. & Kuroki Y. Human pulmonary surfactant protein D binds the extracellular domains of Toll-like receptors 2 and 4 through the carbohydrate recognition domain by a mechanism different from its binding to phosphatidylinositol and lipopolysaccharide. *Biochemistry* **45**: 8657-8664.
- Konishi M., Nishitani C., Mitsuzawa H., Shimizu T., Sano H., Harimaya A., Fujii N., Himi T. & Kuroki Y. Alloiococcus otitidis is a ligand for collectins and Toll-like receptor2, and its phagocytosis is enhanced by collectins. *Eur. J. Immunol.* **36**: 1527-1536.
- Takahashi H., Sano H., Chiba H. & Kuroki Y. Pulmonary surfactant proteins A and D: innate immune functions and biomarkers for lung diseases. *Current Pharmaceutical Design* **12**: 589-598.
- Sano H., Kuronuma K., Kudo K., Mitsuzawa H., Sato M., Murakami S. & Kuroki Y. Regulation of inflammation and bacterial clearance by lung collectins. *Respirology* **11**: S46-S50.
- Takahashi H., Shiratori M., Kanai A., Chiba H., Kuroki Y. & Abe S. Monitoring markers of disease activity for interstitial lung diseases with serum surfactant protein A and D. *Respirology* **11**: S51-S54.
- Takeyama K., Mitsuzawa H., Shimizu T., Konishi M., Nishitani C., Sano H., Kunishima Y., Matsukawa M., Takahashi S., Shibata K., Tsukamoto T. & Kuroki Y. Prostate cell lines secrete IL-8 in response to Mycoplasma hominis through Toll-like receptor 2-mediated mechanism. *The Prostate* **66**: 386-391.